51.100N-3 | ForceTack Satin White



TOTAL MARK | High Tack Printable Media

Features

51.100N-3 | iSee2 ForceTack Series is a collection of superior quality polymeric soft hybrid PVC films, formulated to give exceptional dimensional stability and long term durability. The ForceTack series comprises of a polymeric vinyl, which makes it an ideal choice for long term applications in either interior or exterior environments. The High Tack adhesive system offers excellent properties designed to meet the marking requirements for hard to adhere and low energy surfaces.

The ForceTack Series is printable with (eco)solvent, UV and latex inks and comes with a special lay-flat liner and delivers some of the highest quality print results obtainable with screen printing and digital printing. These films are typically used for fleet marking, construction & farm equipment, container marking, marine and public transport applications.

51.100N-3 | ForceTack Satin White is available in 1220mm (width) x 50m (length) rolls.

Technical & Performance Information

| Film Thickness |
|--|
| |
| Adhesive Thickness |
| Total Thickness |
| Adhesive type |
| Release Liner |
| Artificial Weathering * |
| Film Elongation MD |
| Adhesion to steel (20 mins / 180°) |
| Adhesion to steel (24 hrs / 180°) |
| Dimensiontal Stability |
| Application Temperature |
| Service Temperature |
| Opacity Level |
| Printability |
| ★ to be a set of a set of a set of a Mid E set of a linear |

100 micron 30 micron 130 micron High tack permanent solvent based acrylic 140 gsm PE coated lay-flat kraft liner > 5-7 years > 200% 22 N/25mm 28 N/25mm 28 N/25mm < 1,2mm +4 to +32°C -30 to +98°C High (eco)solvent, UV & latex

 * equivalent to vertical exposure in Mid-European climate

Warranty

Groendreef 35 9880 Aalter, Belgium T +32 9 216 67 00 E info@iSee2.eu W www.iSee2.eu iSee2 warrantees our material for one (1) year from date of shipment. The shelf life of our material is dependent on storage conditions. We recommend that the end user stores the material in the original boxes (out of direct sunlight) from our factory. We also recommend to store our material at 21°C with 50% relative humidity. iSee2 only warrantees our products to be free from defects in workmanship or defects in iSee2 material. We will replace or credit any material deemed defective. No acceptance or responsibility for loss, damage or expense implied or otherwise shall be assumed by the seller or manufacturer. User assumes all risk and liability in connection herewith. All data values quoted above are typical and should not be used to deem the product defective, if measured values are different.