


SELF-ADHESIVE MATERIALS

LARGE FORMAT

# DIGITAL RANGE

- WIDE FORMAT INK-JET PRINT MEDIA
- VEHICLE WRAPPING MEDIA
- FLOOR TALKER SOLUTIONS
- WINDOW GRAPHICS INK-JET PRINT MEDIA
- EASY APPLICATION SOLUTIONS
- WALL GRAPHICS INK-JET PRINT MEDIA
- INK-JET ECO-GREEN PRINT MEDIA
- OVERLAMINATING FILMS
- MOUNTING FILMS



Product Code	Product Description	Face Material	Adhesive	Backing	Widths (cm)	Other Widths (cm) <sup>1</sup>	Lengths (m)	Core (inches) <sup>2</sup>	Durability (Years) <sup>3</sup>		Advertising & Promotional Applications				Vehicle Applications				
											Window Graphics	OUTDOOR Posters / Billboards / Signs	INDOOR Posters / Billboards / Signs / POS	Floor Graphics	Wall Graphics	Flat and slightly curved surfaces	Curved and uneven surfaces	3D and extremely curved surfaces	
<b>WIDE FORMAT INK-JET PRINT MEDIA</b>											<b>Overlaminating Films Recommended</b>								
<b>MONOMERIC COMMODITY FILMS</b>											<b>MONOMERIC COMMODITY FILMS</b>								
4-GL3B-02025	RI-JET 145 GLOSS WHITE AP PERMANENT WK135	80μ	Gloss White	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 126 - 140 - 155 - 160		50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•	•	•	•
4-GL3B-03643	RI-JET 145 GLOSS WHITE AVM REMOVABLE WK135	80μ	Gloss White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m <sup>2</sup> kraft paper	105 - 140 - 155 - 160		50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-02054	RI-JET 165 MATT WHITE AP PERMANENT WK135	80μ	Matt White	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 140 - 155 - 160	126	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-03642	RI-JET 205 GLOSS CLEAR AP PERMANENT WK135	80μ	Gloss Clear	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 140 - 155 - 160	126	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-06274	RI-JET 265 MATT CLEAR AP PERMANENT WK135	80μ	Matt Clear	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 140 - 155 - 160	137	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
<b>MONOMERIC INTERMEDIATE FILMS</b>											<b>MONOMERIC INTERMEDIATE FILMS</b>								
4-GL3B-05049	RI-JET 100 GLOSS WHITE AP PERMANENT WK135	100μ	Gloss White	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•	•	•	•
4-GL3B-02659	RI-JET 100 GLOSS WHITE AVM REMOVABLE WK135	100μ	Gloss White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-04503	RI-JET 100 MATT WHITE AP PERMANENT WK135	100μ	Matt White	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-04353	RI-JET 100 MATT WHITE AVM REMOVABLE WK135	100μ	Matt White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-06328	RI-JET 100 GLOSS CLEAR AP PERMANENT WK135	100μ	Gloss Clear	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-05370	RI-JET 100 GLOSS CLEAR ASP30 REMOVABLE WK135	100μ	Gloss Clear	Monomeric Vinyl	Transparent	ASP30 Removable	135 g/m <sup>2</sup> kraft paper	137 - 160	126 - 140	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
<b>MONOMERIC INTERMEDIATE PIGMENTED FILMS</b>											<b>MONOMERIC INTERMEDIATE PIGMENTED FILMS</b>								
4-GL3B-04239	RI-JET 100 GLOSS WHITE AP PERMANENT BLACK WK135	100μ	Gloss White	Monomeric Vinyl	Black	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•	•	•	•
4-GL3B-04236	RI-JET 100 GLOSS WHITE AVM REMOVABLE BLACK WK135	100μ	Gloss White	Monomeric Vinyl	Black	AVM Removable	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-04519	RI-JET 100 MATT WHITE AP PERMANENT BLACK WK135	100μ	Matt White	Monomeric Vinyl	Black	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-04518	RI-JET 100 MATT WHITE AVM REMOVABLE BLACK WK135	100μ	Matt White	Monomeric Vinyl	Black	AVM Removable	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-06493	RI-JET 100 GLOSS WHITE AP PERMANENT GREY WK135	100μ	Gloss White	Monomeric Vinyl	Grey	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	137	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
4-GL3B-06494	RI-JET 100 MATT WHITE AP PERMANENT GREY WK135	100μ	Matt White	Monomeric Vinyl	Grey	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160	137	50 - 100 - 250	3 - (6)	3		•	•	•	•	•	•
<b>SPECIALTIES</b>											<b>SPECIALTIES</b>								
4-GL3B-09703	RI-JET 100 GLOSS WHITE HOP AP940 PERMANENT GREY WKPE140 AIRFLOW	100μ	Gloss White	Monomeric Vinyl	Grey	AP940 Permanent	140 g/m <sup>2</sup> embossed PE coated kraft paper	105 - 137 - 155		50 - 100	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•	•	•	•
4-GL3B-05655	RI-JET 170 GLOSS WHITE AVM REMOVABLE WK135	170μ	Gloss White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m <sup>2</sup> kraft paper	140 - 155	126	50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•	•	•	
<b>ONE-WAY VISION FILMS</b>											<b>ONE-WAY VISION FILMS</b>								
4-GL6A-07057	PROMO RI-VIEW ASP30 REMOVABLE WK135/PET CLEAR	145μ	White & Black Perforated PVC 40% Open Area	Transparent	ASP30 Removable	135 g/m <sup>2</sup> kraft paper/PET clear	105 - 137			50	3 - (6)	3	RI-JET 50 CAST	W	•	•	•	•	•
<b>POLYMERIC FILMS</b>											<b>POLYMERIC FILMS</b>								
4-GL3C-05331	RI-JET 75 PE GLOSS WHITE ASP26 PERMANENT WKPE144	75μ	Gloss White	Polymeric Vinyl	Transparent	ASP26 Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 155		50 - 100	3 - (6)	7	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR	•	•	•	•	•	•
4-GL3C-04057	RI-JET 75 BLOCKOUT PE GLOSS WHITE ASP26 PERMANENT GREY WKPE144	75μ	Gloss White	Polymeric Vinyl	Grey	ASP26 Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 137 - 155		50 - 100	3 - (6)	7		•	•	•	•	•	•
4-GL3C-04058	RI-JET 75 MATT WHITE ASP26 PERMANENT WKPE144	75μ	Matt White	Polymeric Vinyl	Transparent	ASP26 Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 155		50 - 100	3 - (6)	5		•	•	•	•	•	•
4-GL3C-06538	RI-JET 75 MATT PE BLOCKOUT ASP26 PERMANENT GREY WKPE144	75μ	Matt White	Polymeric Vinyl	Grey	ASP26 Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 137 - 155		50 - 100	3 - (6)	7		•	•	•	•	•	•
4-GL3C-04053	RI-JET 75 CLEAR PE GLOSS CLEAR ASP26 PERMANENT WKPE144	75μ	Gloss Clear	Polymeric Vinyl	Transparent	ASP26 Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 155		50 - 100	3 - (6)	7		•	•	•	•	•	•
4-GL3C-08460	RI-JET 75 GLOSS WHITE AP940 PERMANENT WKPE140 AIRFLOW	75μ	Gloss White	Polymeric Vinyl	Transparent	AP940 Permanent	140 g/m <sup>2</sup> embossed PE coated kraft paper	105 - 137 - 160		50	3 - (6)	5		•	•	•	•	•	•
4-GL3C-08461	RI-JET 75 GLOSS WHITE AP940 PERMANENT GREY WKPE140 AIRFLOW	75μ	Gloss White	Polymeric Vinyl	Grey	AP940 Permanent	140 g/m <sup>2</sup> embossed PE coated kraft paper	105 - 137 - 160		50	3 - (6)	5		•	•	•	•	•	•
4-GL3C-08457	RI-JET 75 OPTIMA GLOSS WHITE AP940 PERMANENT WK135	75μ	Gloss White	Polymeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160		50	3 - (6)	5		•	•	•	•	•	•
4-GL3C-08458	RI-JET 75 OPTIMA GLOSS CLEAR AP940 PERMANENT WK135	75μ	Gloss Clear	Polymeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160		50	3 - (6)	4		•	•	•	•	•	•
4-GL3C-08459	RI-JET 75 OPTIMA GREYOUT GLOSS WHITE AP940 PERMANENT GREY WK135	75μ	Gloss White	Polymeric Vinyl	Grey	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160		50	3 - (6)	5		•	•	•	•	•	•
4-GL3C-04060	RI-JET TRANSLUCENT WHITE ASP30 REMOVABLE WK135	90μ	Translucent White	Polymeric Vinyl	Transparent	ASP30 Removable	135 g/m <sup>2</sup> kraft paper	126 - 140	160	50 - 100	3 - (6)	7		•	•	•	•	•	•
4-GL3C-08587	RI-JET POLY 100 SEMI-GLOSS WHITE ASP32 EXTRAPERMANENT WKPE140	100	Semi-Gloss White	Polymeric Vinyl	Transparent	ASP32 Extra Permanent	140 g/m <sup>2</sup> 2 side PE coated kraft paper	137		50 - 100	3 - (6)	7		•	•	•	•	•	•
<b>APOLAR SURFACES</b>											<b>APOLAR SURFACES</b>								
4-GL3B-09668	HI-GRIP 100 GLOSS WHITE ASP32 EXTRA PERMANENT WKPE135	100μ	Gloss White	Monomeric Vinyl	Transparent	ASP32 Extra Permanent	135 g/m <sup>2</sup> kraft paper	137		50 - 100	3 - (6)	5	RI-2067 • RI-2977	•	•	•	•	•	•
4-GL3B-08198	HI-GRIP 75 GLOSS WHITE ASP32 EXTRA PERMANENT WK135	75μ	Gloss White	Polymeric Vinyl	Transparent	ASP32 Extra Permanent	135 g/m <sup>2</sup> kraft paper	137		50 - 100	3 - (6)	5	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR	W	•	•	•	•	•
4-GL3C-08864	HI-GRIP 75 GLOSS CLEAR ASP32 EXTRA PERMANENT WK135	75μ	Gloss Clear	Polymeric Vinyl	Transparent	ASP32 Extra Permanent	135 g/m <sup>2</sup> kraft paper	137		50 - 100	3 - (6)	5	•	•	•	•	•	•	
<b>CAST FILMS</b>											<b>CAST FILMS</b>								
4-GL3A-03794	RI-JET 50 CAST GLOSS CLEAR ASP26 PERMANENT WKPE144	50μ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 152		50 - 100	3 - (6)	7	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR	•	•	•	•	•	•
4-GL3A-07873	RI-JET 50 CAST GLOSS WHITE ASP26 PERMANENT GREY WKPE144	50μ	Gloss White	CAST Vinyl	Grey	ASP26 Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 152		50 - 100	3 - (6)	10	•	•	•	•	•	•	
<b>STATIC CLING FILMS</b>											<b>STATIC CLING FILMS</b>								
4-GL3B-07360	RI-JET 150 STATIC GLOSS CLEAR BRD200	150μ	Gloss Clear	Static Cling Vinyl	No adhesive	No adhesive	200 g/m <sup>2</sup> cast coated board	104 - 140		50	3 - (6)	1*	No lamination needed	•	•	•	•	•	•
4-GL3B-07361	RI-JET 150 STATIC GLOSS WHITE BRD200	150μ	Gloss White	Static Cling Vinyl	No adhesive	No adhesive	200 g/m <sup>2</sup> cast coated board	140		50	3 - (6)	1*	•	•	•	•	•	•	



Product Code	Product Description	Face Material	Adhesive	Backing	Widths (cm)	Other Widths (cm) <sup>1</sup>	Lengths (m)	Core (inches) <sup>2</sup>	Durability (Years) <sup>3</sup>	DIGITAL RANGE												
										Advertising & Promotional Applications										Vehicle Applications		
											Overlaminating Films Recommended											
VEHICLE WRAPPING MEDIA											VEHICLE WRAPPING MEDIA											
4-GL3C-05303	RI-JET 75 GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE144	75µ	Gloss White	Polymeric Vinyl	Grey	ASP33 Permanent Repositionable	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 155		50	3 - (6)	5	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR									
4-GL3C-09959	RI-JET 75 SLIDE & TACK GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE140 AIRFLOW	75µ	Gloss White	Polymeric Vinyl	Grey	ASP33 Permanent Repositionable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137 - 155		50	3 - (6)	5	W									
4-GL3A-07871	RI-JET 50 CAST GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE144	50µ	Gloss White	CAST Vinyl	Grey	ASP33 Permanent Repositionable	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 152		50 - 100	3 - (6)	10	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR									
4-GL3A-09958	RI-JET 50 SLIDE & TACK CAST GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE140 AIRFLOW	50µ	Gloss White	CAST Vinyl	Grey	ASP33 Permanent Repositionable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137 - 152		50	3 - (6)	10	W									
4-GL3B-09366	RI-JET DECOBUS SEMI-GLOSS WHITE OPAQUE ASP30 REMOVABLE WK135	85µ	Semi-Gloss White Opaque	Monomeric vinyl	Transparent	ASP30 Removable	135 g/m <sup>2</sup> kraft paper	105 - 137 - 160		50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480									
FLOOR TALKER SOLUTIONS											FLOOR TALKER SOLUTIONS											
4-GL3B-02996	RI-JET 140 FLOOR TALKER GLOSS WHITE ASP8A PERMANENT GREY WKPE144	100µ	Gloss White	Monomeric Vinyl	Grey	ASP8A Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	100 - 122 - 137		50 - 100	3 - (6)	3	RI-121/100 • RI-121/200									
4-GL3B-06493	RI-JET 100 GLOSS WHITE AP PERMANENT GREY WK135	100µ	Gloss White	Monomeric Vinyl	Grey	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 140 - 160	137	50 - 100 - 250	3 - (6)	3	RI-2067 • RI-2977									
4-GL3B-04741	RI-121/100 POP-UP CLEAR AP PERMANENT WG62	100µ	Clear	Embossed Scuff Resistant Vinyl	Transparent	AP940 Permanent	62 g/m <sup>2</sup> glassine paper	104 - 122 - 140		50 - 100	3	1	Overlaminating Films									
4-GL3B-01346	RI-121/200 FLOOR TALKER CLEAR ASP8A PERMANENT WG90	200µ	Clear	Embossed Scuff Resistant Vinyl	Transparent	ASP8A Permanent	90 g/m <sup>2</sup> glassine paper	100 - 104 - 122 - 137		50 - 100	3	3										
WINDOW GRAPHICS INK-JET PRINT MEDIA											WINDOW GRAPHICS INK-JET PRINT MEDIA											
4-GL3B-05609	RI-JET 100 SUPERCLEAR ASP30 REMOVABLE PET30	100µ	Gloss Clear	Monomeric Vinyl	Transparent	ASP30 Removable	30µ clear PET	137-153		50 - 100	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480									
4-GL2B-06369	RI-JET 75 ECO-UV PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75µ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30µ clear PET	150		50 - 100	3 - (6)	3	RI-JET 375 CLEAR ECO-DIGITAL									
4-GL2B-09284	RI-JET 75 ECO S/L PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75µ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30µ clear PET	137		50	3 - (6)	3	RI-JET 50 CAST ULTRACLEAR									
4-GL3A-09537	RI-JET 50 CAST ULTRACLEAR ASP26 PERMANENT PET75	50µ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	75µ clear PET	137 - 152		50	3 - (6)	8	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR									
EASY APPLICATION SOLUTIONS											EASY APPLICATION SOLUTIONS											
4-GL3B-08824	RI-JET 100 GLOSS CLEAR AVM REMOVABLE WKPE140 AIRFLOW	100µ	Gloss Clear	Monomeric Vinyl	Transparent	AVM Removable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137		50 - 100	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6482									
4-GL3B-08802	RI-JET 100 MATT WHITE AVM REMOVABLE WKPE140 AIRFLOW	100µ	Matt White	Monomeric Vinyl	Transparent	AVM Removable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137		50 - 100	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6481									
4-GL3B-09133	RI-DOT GLOSS CLEAR AP PERMANENT WK135	100µ	Gloss Clear	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	137		50	3	2	No lamination needed									
4-GL3B-09134	RI-DOT MATT CLEAR AP PERMANENT WK135	100µ	Matt Clear	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	137		50	3	2										
4-GL3B-09132	RI-DOT GLOSS WHITE AP PERMANENT WK135	100µ	Gloss White	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	137		50	3	2										
4-GL3B-09245	RI-DOT MATT WHITE AP PERMANENT WK135	100µ	Matt White	Monomeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	137		50	3	2										
4-GL3B-08423	RI-FIX GLOSS WHITE ARS3 ULTRA REMOVABLE WK135	170µ	Gloss White	Monomeric Vinyl	Transparent	ARS3 Ultra Removable	135 g/m <sup>2</sup> kraft paper	137		50 - 100 - 250	3 - (6)	1										
WALL GRAPHICS INK-JET PRINT MEDIA											WALL GRAPHICS INK-JET PRINT MEDIA											
4-GL3B-09782	RI-JET DECO-WALL 100 HOP ASP32 EXTRA PERMANENT GREY WK135	100µ	Matt White	Monomeric Vinyl	Transparent	ASP32 Extra Permanent	135 g/m <sup>2</sup> kraft paper	137		50	3 - (6)	4	No lamination needed (indoor use)									
4-GL3B-08314	RI-JET DECO-WALL 75 ASP32 EXTRA PERMANENT GREY WK135	75µ	Gloss White	Polymeric Vinyl	Grey	ASP32 Extra Permanent	135 g/m <sup>2</sup> kraft paper	137		50 - 100	3 - (6)	5	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR									
4-GL3B-09279	RI-JET DECO-WALL 150 LINEN AP940 PERMANENT WK135	150µ	Linen pattern White Satin	Polymeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	137		50	3 - (6)	4	No lamination needed									
4-GL3B-08313	RI-JET DECO-WALL 50 ASP32 EXTRA PERMANENT GREY WKPE 140 AIRFLOW	50µ	Gloss White	CAST Vinyl	Grey	ASP32 Extra Permanent	140 g/m <sup>2</sup> embossed PE coated kraft paper	152		50 - 100	3 - (6)	10	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR									
INK-JET ECO-GREEN PRINT MEDIA											INK-JET ECO-GREEN PRINT MEDIA											
4-GL2B-06369	RI-JET 75 ECO-UV PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75µ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30µ clear PET	150		50 - 100	3 - (6)	3	RI-JET 375 CLEAR ECO-DIGITAL									
4-GL2B-09284	RI-JET 75 ECO S/L PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75µ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30µ clear PET	137		50	3 - (6)	3										
4-GL2D-06890	RI-JET 375 WHITE ECO-DIGITAL AP PERMANENT WK135 <sup>(4)</sup>	95µ	Gloss White	Polyolefine	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	140		50 - 100	3 - (6)	3										



<b>PRINTER COMPATIBILITY</b>
Media specifically developed for and widely used with the following machines: HP Scitex / Nur / ColorSpan, EFI (Vutek), Roland, Mutoh, Mimaki, Seiko, Agfa, Océ, DGI, Gandinnovations, Teckwin, Graphtec, Flora, Infinity, Yselan, Durst, Inca & Zünd. Printer compatibility for Water based products: for water based ink-jet printers with both dye and pigmented inks. Suitable for use with: HP, Roland, Mutoh, Encad, Mimaki, etc.
<b>UV INK-JET PRINTING</b>
The Ri-Jet series of ink-jet print media give excellent print results with UV ink-jet printing. However, consideration should be given to the type of applications where such printed media is used, and ensure the appropriate series of UV inks are employed. Certain UV inks can embrittle PVC, so heavy ink lay down with this inks is not advised, less well, and so caution should be given for applications such as floor graphics. Leaving an unprinted border and the correct choice of inks is advised. Please consult your Ritrama representative for further advice and guidance.

<b>WARNING</b>
Testing for suitability between media, printers and inks is always recommended prior to use. Optimum print quality is obtained with correct profiling. For 'print and cut graphics' it is recommended that should be fully dried before application. Residual solvents are known to have a detrimental effect upon the adhesive performance, as well as altering the film characteristics. Overlamination of insufficiently dried graphics can spoil the print appearance.
<b>WARRANTY</b>
For Large Format Digital Printing and in particular for vehicle wrapping Ritrama provides you with a Warranty for RI-JET Vinyl Print Media and Overlaminating Films, Cast & Polymeric materials, when combined with the respective laminations. There are also available Application Guidelines for a correct material use. For any further information contact your Sales Ritrama Representative.
<b>NOTES</b>
To find out which products are held in finished rolls / stock, contact your local Ritrama representative. (1) Minimum quantity required. Other backings available. (2) Core: 6 inches available on request. Roll lengths: also 150m or 200m with minimum ordered quantity. (3) Relates to life of the film only - life of print depends on inks used and techniques. (4) Products available with Minimum Order Quantity. (*) Shelf Life: 6 months, applicable to the film only at stored at a temperature of 22°C ± 2°C and 50 ± 5% of Relative Humidity in the original packaging.

Product Code	Product Description	Face Material	Adhesive	Backing	Widths (cm)	Other Widths (cm) <sup>1</sup>	Lengths (m)	Core (inches) <sup>2</sup>	Durability (Years) <sup>3</sup>
--------------	---------------------	---------------	----------	---------	-------------	--------------------------------	-------------	----------------------------	---------------------------------

**OVERLAMINATING FILMS**

**MONOMERIC COMMODITY FILMS**

4-GL3B-04065	RI-1867 GLOSS CLEAR AP PERMANENT WG62	70μ	Gloss Clear	Monomeric Vinyl	Transparent	AP940 Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 160	50 - 100	3	1
4-GL3B-04066	RI-2867 SEMI-MATT CLEAR AP PERMANENT WG62	70μ	Semi-Matt Clear	Monomeric Vinyl	Transparent	AP940 Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 160	50 - 100	3	1
4-GL3B-04067	RI-2877 MATT CLEAR AP PERMANENT WG62	70μ	Matt Clear	Monomeric Vinyl	Transparent	AP940 Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 160	50 - 100	3	1

**MONOMERIC INTERMEDIATE FILMS<sup>4</sup>**

4-GL3B-03526	RI-2067 UV PROTECTED GLOSS CLEAR ASP5A PERMANENT WG62	70μ	Gloss Clear	Monomeric Vinyl	Transparent	ASP5A Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 160	50 - 100	3	3
4-GL3B-03528	RI-2977 UV PROTECTED MATT CLEAR ASP5A PERMANENT WG62	70μ	Matt Clear	Monomeric Vinyl	Transparent	ASP5A Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 160	50 - 100	3	3

**POLYMERIC FILMS**

4-GL3C-02660	RI-JET 75 UV PROTECTED GLOSS CLEAR ASP26 PERMANENT WK135	75μ	Gloss Clear	Polymeric Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 155	50 - 100	3	5
4-GL3C-05448	RI-JET 75 UV PROTECTED MATT CLEAR ASP26 PERMANENT WK135	75μ	Matt Clear	Polymeric Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	105 - 137 - 155	50 - 100	3	5

**CAST FILMS**

4-GL3A-04068	RI-JET 30 FLEXILAM UV PROTECTED GLOSS CLEAR ASP26 PERMANENT WK135	30μ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	137 - 152	50 - 100	3	7
4-GL3A-06231	RI-JET 30 FLEXILAM UV PROTECTED MATT CLEAR ASP26 PERMANENT WK135	30μ	Matt Clear	CAST Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	137 - 152	50 - 100	3	7
4-GL3A-04015	RI-JET 50 CAST UV PROTECTED ULTRACLEAR ASP26 PERMANENT PET36	50μ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	50μ clear PET	137 - 152	50 - 100	3	7

**ANTIGRAFFITI FILMS**

4-GL2B-03097	RI-6480 ANTIGRAFFITI UV SCREEN PROTECTED CLEAR ASP8A PERMANENT PET30	20μ	Gloss Clear	LH Polyester	Transparent	ASP8A Permanent	30μ clear PET	105 - 131 - 140 - 153	50 - 100	3	3	
4-GL2B-06452	RI-6480 ANTIGRAFFITI UV SCREEN PROTECTED AP906 EXTRAPERMANENT PLUS PET30	20μ	Gloss Clear	LH Polyester	Transparent	AP906 Plus Extra Permanent	30μ clear PET	137 - 153	140	50	3	4
4-GL2B-08670	RI-PELLENT GLOSS CLEAR ASP8A PERMANENT PET30	50μ	Gloss Clear	Synthetic Film	Transparent	ASP8A Permanent	30μ clear PET	152	25	3	4	

**SPECIALITIES**

4-GL3B-04741	RI-121/100 POP-UP CLEAR AP PERMANENT WG62	100μ	Clear	Embossed Scuff Resistant Vinyl	Transparent	AP940 Permanent	62 g/m <sup>2</sup> glassine paper	104 - 122 - 140	50 - 100	3	1
4-GL3B-01346	RI-121/200 FLOOR TALKER CLEAR ASP8A PERMANENT WG90	200μ	Clear	Embossed Scuff Resistant Vinyl	Transparent	ASP8A Permanent	90 g/m <sup>2</sup> glassine paper	100 - 104 - 122 - 137	50 - 100	3	3
4-GL3A-07175	CARBON CLEAR WRAP ASP33 PERMANENT REPOSITIONABLE WKPE144	125μ	CAST Vinyl	Polyolefine	Transparent	ASP33 Repositionable permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	152	25	3	5
4-IL3C-03751	STONE GUARD 240 GLOSS CLEAR ASP8A PERMANENT WKPE150	240μ	Gloss Clear	Soft Vinyl	Transparent	ASP8A Permanent	150 g/m <sup>2</sup> 2 side PE coated kraft paper	100	25	3	3
4-IL3C-02187	STONE GUARD 320 GLOSS CLEAR ASP8A PERMANENT WKPE144	320μ	Gloss Clear	Soft Vinyl	Transparent	ASP8A Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	100	25	3	3

**MOUNTING FILMS**

4-GL2B-03748	MONOTAPE 940P CLEAR ASP2 PERMANENT/ ASP2 PERMANENT WKPE90	12μ	Clear	Polyester	Transparent	ASP2 Permanent/ASP2 Permanent	90 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 131 - 153	50 - 100	3	3
4-GL2B-02626	MONOTAPE 950P CLEAR ASP5A PERMANENT/ASP5A PERMANENT WKPE120	12μ	Clear	Polyester	Transparent	ASP5A Permanent/ASP5A Permanent	120 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 131 - 153	50 - 100	3	3
4-GL2B-03369	MONOTAPE 950R CLEAR ASP5A PERMANENT/ARS6 REMOVABLE WKPE120	12μ	Clear	Polyester	Transparent	ASP5A Permanent/ARS6 Removable	120 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 131 - 153	50 - 100	3	3
4-GL2B-06560	MONOTAPE 930P CLEAR AHTV PERMANENT/AHTV PERMANENT WKPE90	23μ	Clear	Polyester	Transparent	AHTV Permanent/AHTV Permanent	90 g/m <sup>2</sup> 2 side PE coated kraft paper	105	50 - 100	3	3
4-GL2B-01228	ULTRACRYSTALLINE CLEAR ASP8A PERMANENT/ASP8A PERMANENT PET30	30μ	Clear	Polypropylene	Transparent	ASP8A Permanent/ASP8A Permanent	30μ clear PET	105 - 131 - 153	50 - 100	3	3
4-GL2B-03273	ULTRACRYSTALLINE CLEAR ARS6 REMOVABLE/ASP8A PERMANENT PET30	30μ	Clear	Polypropylene	Transparent	ARS6 Removable/ASP8A Permanent	30μ clear PET	105 - 131 - 153	50 - 100	3	3

Recommended Storage & Handling (especially relevant to Digital Print Media)
Always store rolls on their end (i.e. vertically) – not on their side (unless rolls are suspended). Do not handle material without gloves – if this is not possible, remove the outer lap prior to printing. For optimum print results material should be used within 6 months from manufacture. Store in air-conditioned premises, ideally 21°C, 55% RH.
NOTES
To find out which products are held in finished rolls / stock, contact your local Ritrama representative. (1) Minimum quantity required. Other backings available. (2) Core: 6 inches available on request. Roll lengths: also 150m or 200m with minimum ordered quantity. (3) Relates to life of the film only - life of print depends on inks used and techniques. (4) UV inks compatible. (* ) Shelf Life: 6 months, applicable to the film only at stored at a temperature of 22°C ± 2°C and 50 ± 5% of Relative Humidity in the original packaging.



**RITRAMA S.p.A.**

Headquarters  
Roll Slitting & Distribution Centre  
Via Senatore Simonetta, 24  
20867 **Caponago** (MB) - ITALY  
Ph. +39 02 955 459.1  
Fax +39 02 955 459.01  
info@ritrama.com



**RITRAMA S.p.A.**

Production Centre  
Polo Ind.le Berbentina  
60041 **Sassoferrato** (AN) - ITALY  
Ph. +39 0732 97061  
Fax +39 0732 96436  
info@ritrama.com

**RITRAMA S.p.A.**

Graphics Slitting & Distribution Centre  
Via Senatore Simonetta, 24  
20867 **Caponago** (MB) - ITALY  
Ph. +39 02 955 459.1  
Fax +39 02 955 459.01  
info@ritrama.com

**RITRAMA S.p.A.**

Production Centre  
Viale Industrie, 30  
20060 **Basiano** (MI) - ITALY  
Ph. +39 02 923948.1  
Fax +39 02 92394839  
info@ritrama.com

**RITRAMA S.A.**

Production & Distribution Centre  
Avda. Castell Barberà 30  
Polig. Ind. Santiga  
08210 **Barberà del Valles** - SPAIN  
Ph. +34 (0) 93 729 4998  
Fax +34 (0) 93 729 0431  
info-es@ritrama.com

**RITRAMA S.A.**

Production & Distribution Centre  
Av. Tupungato 3420 - Lotes 39 y 40  
Parque Industrial Curauma  
**Valparaíso** - CHILE  
Ph. +56 32 2996 304  
Fax +56 32 2996 347  
info-cl@ritrama.com

**RITRAMA GUATEMALA, S.A.**

Slitting & Distribution Centre  
Av. El Ferrocarril 19-97 - zona 12  
Centro Empresarial El Cortijo I - Ofibodega 711  
**Ciudad de Guatemala** - GUATEMALA  
Ph/Fax: +502 24745367  
+502 24733741  
info-gt@ritrama.com

**RITRAMA (UK) Ltd**

Production & Distribution Centre  
Unit 2, Fifth Avenue,  
**Dukinfield, Manchester**,  
SK16 4PP - UK  
Ph. +44 (0) 161 786 1760  
Fax +44 (0) 161 786 1761  
info-uk@ritrama.com

**RITRAMA (Hefei)**

Pressure-Sensitive Coated Materials Co. Ltd.  
Production & Distribution Centre  
Qingluan Road, 33/35  
HEFEI Economic & Technological  
Development Zone  
**Hefei** 230601 - Anhui - CHINA  
Ph. +86 551 638 79 747  
Fax +86 551 638 79 737  
info-cn@ritrama.com

**RITRAMA COSTA RICA S.A.**

Slitting & Distribution Centre  
De Waterland 300N-200E-100S  
Bodega #3 - La Asunción de Belén  
**Heredia** - COSTA RICA  
Ph. +506 40529300  
Fax +506 22392327  
info-cr@ritrama.com

**RITRAMA Inc.**

Production & Distribution Centre  
1896 Moore Duncan Highway  
**Moore** SC 29369 - U.S.A.  
Ph. +1 864 586 4101  
Toll Free +1 844 874 9353  
info-us@ritrama.com

**RITRAMA POLAND**

Slitting & Distribution Centre  
ul. Wrocławska 53  
56-410 **Dobroszyce** - POLAND  
Ph. +48 71 314 46 95  
Fax +48 71 315 95 25  
info-pl@ritrama.com

**RITRAMA COLOMBIA S.A.S.**

Slitting & Distribution Centre  
Calle 98 Sur # 48 -270 Bdg 18,  
Bodegas San Sebastian  
La Estrella, Antioquia  
**Medellín** - COLOMBIA  
Ph. +57 4 4445518  
Fax +57 4 4445518  
info-co@ritrama.com

**RITRAMA Inc.**

Production Centre  
800 Kasota Avenue Se  
**Minneapolis** MN 55414 - U.S.A.  
Ph. +1 612 378 2277  
Fax +1 612 378 9327  
Toll Free (800) 328 5071  
info-us@ritrama.com

**RITRAMA UKRAINE**

Slitting & Distribution Centre  
Ul. Novopirogovskaya, 64-A  
03045 **Kiev** - UKRAINE  
Ph. +38 044 206 81 41  
Fax +38 044 206 81 42  
info-ua@ritrama.com

**RITRAMA AUTOADESIVO INDUSTRIA LTDA.**

Slitting & Distribution Centre  
Rod.Vice Pref.Hermenegildo Tonolli 1500  
Bairro Fazgran - **Jundiaí** - SP  
CEP 13213-086 BRAZIL  
Ph. +55 11 4525 1123  
Fax +55 11 4525 1123  
info-br@ritrama.com

**RITRAMA Inc.**

Production Centre  
341 Eddy Road  
**Cleveland** OH 44108 - U.S.A.  
Ph. +1 216 851.2300  
Fax +1 216 851.1938  
Toll Free (888) 362 2002  
info-us@ritrama.com

**RITRAMA MÉXICO**

Slitting & Distribution Centre  
Mimosas #104 Col. Santa María Insurgentes  
06430 **México D.F.** - MÉXICO  
Ph. +52 55 2630 2516  
Fax +52 55 2630 2516  
info-mx@ritrama.com

**RITRAMA PERÚ**

Slitting & Distribution Centre  
Av. Nicolás Ayllón N° 2925 - El Agustino  
**Lima** - PERÚ  
Ph +51 1 628 4845 Ex. 110  
+51 1 628 4846 Ex. 110  
info-pe@ritrama.com

**RITRAMA Inc.**

Slitting & Distribution Centre  
345 Eddy Road  
**Cleveland** OH 44108 - U.S.A.  
Toll Free (888) 362 2002  
info-us@ritrama.com

**RITRAMA CARIBE**

Slitting & Distribution Centre  
Zona Franca San Isidro  
Autopista San Isidro Km 17  
**Santo Domingo Este** - DOMINICAN REPUBLIC  
Ph. +1 809 807 0809  
Fax +1 809 620 0809  
info-do@ritrama.com

**RITRAMA CONVERTING PTY LTD S.A.**

Slitting & Distribution Centre  
Unit A4, Ushukela Industrial Park  
Corner of Sundew and Syringa Roads  
Cornubia Industrial Business Estate  
4345 **Durban** - SOUTH AFRICA  
Ph. +27 87 155 0000  
info-za@ritrama.com



Production Centre



Slitting & Distribution Centre